

(19)



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) Publication number:

0 570 082 A2

(12)

EUROPEAN PATENT APPLICATION

(21) Application number: 93202268.4

(51) Int. Cl.5: G10L 5/06

(22) Date of filing: 26.04.89

This application was filed on 30 - 07 - 1993 as a
divisional application to the application
mentioned under INID code 60.

(30) Priority: 27.04.88 GB 8809898

(43) Date of publication of application:
18.11.93 Bulletin 93/46(60) Publication number of the earlier application in
accordance with Art.76 EPC: 0 411 037(84) Designated Contracting States:
AT BE CH DE FR GB IT LI LU NL SE


(71) Applicant: **BRITISH TELECOMMUNICATIONS**
public limited company
81 Newgate Street
London EC1A 7AJ(GB)

(72) Inventor: **Cameron, Ian Ross**
801 Woodbridge Road
Ipswich, Suffolk IP4 4NN(GB)

(74) Representative: **Lloyd, Barry George William**
et al
BT Group Legal Services
Intellectual Property Department
13th floor,
151 Gower Street
London WC1E 6BA (GB)

(54) Voice-operated service.

(57) In a telephone banking service, initial log-on (before the service has identified the user) must use speaker-independent recognition (ie the speech recognizer 2 operates in accordance with word templates drawn from the population at large). The first digit of a sequence identifying the user is compared with certain templates of two sets of templates to determine which set most closely resembles the user's speech. The two sets of templates may comprise standard templates formed by male and female speakers respectively.

**EP 0 570 082 A2**

This application is a divisional application of EP patent application No. 89905458.9.

The present invention relates to voice-operated services, for example services (such as home banking) which may be offered on a telephone network. In particular, the invention concerns recognition of user identifiers which a user must enter in order to identify himself or herself to the apparatus operating the service.

In accordance with the invention, apparatus for operating a voice-operated service comprises a speech recogniser operable to compare each word of a sequence of words supplied thereto with stored templates to obtain a measure of similarity, the templates comprising a first set containing first templates corresponding to each word of a set of words, and a second set containing second templates corresponding to each word of the said set, and control means arranged in operation so to control the recogniser that:

(a) the first word of the sequence is compared with templates of the first set of templates corresponding to certain predetermined words of the set and with templates of the second set of templates corresponding to other words of the set;

(b) the measures are compared to determine which word of the set the said first word most closely resembles; and

(c) subsequent words of the sequence are compared with either the first or the second set of templates, in dependence on which word the said first word has been determined as resembling.

Note that the word "template" is used to signify data representing the sound of a word, with which a comparison can be made; it is not intended to imply any particular type of speech recognition.

Preferably, the two sets of templates correspond to male and female speech respectively. The set of words may comprise the digits 0 to 90 or some other suitable combination.

The service may be an interactive voice-operated service accessible via a telephone line and, in a preferred embodiment of the invention, is a home banking service.

In accordance with the invention there is also provided a method of operating an automated voice-operated service on a telephone network, the method comprising determining the identity of a caller to this service through the use of a speech recogniser operable to compare each word of a sequence of words supplied thereto by the caller with stored templates to obtain a measure of similarity, the templates comprising a first set containing first templates corresponding to each word of a set of words, and a second set containing second templates corresponding to each word of the said set, and control means arranged in operation so to control the recogniser that: (a) the first word of the sequence is compared with templates of the first set of templates corresponding to certain pre-determined words of the set and with templates of the second set of templates corresponding to other words of the set; (b) the measures are compared to determine which word of the set the said first word most closely resembles; (c) subsequent words of the sequence are compared with either the first or the second set of templates, in dependence on which word the said first word has been determined as resembling; the identity of the caller being determined in accordance with the sequence of words which are recognised.

Subsequent to the identity of the caller being determined, the identity of the caller may be checked by causing the caller to utter a personalised sequence of words, for example a personal identification number, the uttered words being compared by a speech recogniser with previously stored templates specific to the caller identified as the result of the determination, the caller being given access to further aspects of the service only if the results of the speaker dependent recognition check of the personalised sequence of words are acceptable.

The apparatus shown in the figure forms part of the control equipment of a telephone banking service. A telephone line 1 is connected to a speech recogniser 2 and a speech synthesizer 3. A controller 4 (e.g. a microprocessor system or other digital computer) can transfer commands to the synthesizer 3 to cause desired words to be uttered and receives data output from the recogniser 2.

The recogniser, of conventional design, compares words received over the telephone line with a set of templates and produces at its data output

(i) a code W1 indicating the template which most closely matches

(ii) a code W2 indicating the next closest template

(iii) scores D1, D2 indicating the goodness of fit between the word and those two templates.

In order to use the service, an initial log-on procedure requires the user to identify himself or herself by uttering a plurality of words, preferably a series of digits, though other words could of course be used. A five digit log-on number is hereafter assumed. The resulting codes W1 are received by the controller 4 and thus identify the user. Further steps (with which we are not here concerned) then follow; for example the checking of a personal identity number (PIN) - for which of course speaker dependent recognition (i.e. using templates specific to the particular user) may now be employed. Speaker independent recognition of course must necessarily be used to recognise the log-on number.

The aspect of the system with which we are here particularly concerned is the allocation of the log-on number for a new user, the object being to avoid digits which represent a high probability of maze-recognition during subsequent log-on procedures.

The user is asked to utter the words one, two, three, four, five, six, seven, eight and nine. These voice samples along with any other desired words, may be recorded for the formation of templates for speaker-dependent recognition. For present purposes, however, they are passed to the speech recogniser 2, which produces, for each word, the codes W1 and W2, and scores D1, D2 as indicated in table 1 below

Table 1

		one	two	three	nine
15	W1	1	3	3
	W2	4	2	4
	D1	18	34	21
20	D2	25	29	42

The codes shown for W1, W2 are simply the actual numbers which are deemed by the recogniser to have been recognised. The scores are numbers, on an arbitrary scale, indicating the extent of deviation of the received word from the template; thus a low score indicates a good match whilst a high score indicates a poor match. The scores given are assumed to be actual results for a particular user. Looking at the example given in Table 1, it can be seen that the words, "one" and "three" have been correctly recognised, whilst the word "two" has been mistaken for "three".

The controller 4, having received this data applies certain criteria to ascertain which digits (if any) offer such poor reliability of recognition that they should be excluded from the log-on number. For the example user of Table 1, the word two is rejected since mis-recognition has actually occurred. However the remaining digits are also examined. For reliable recognition, what is important is not that the score obtained should be low, but that the score obtained with the "correct" template is significantly better than with the second choice template. Thus in the example the word "three" has scores of 21 and 42 and will therefore be more reliably recognised than "one" where the scores, though lower, are similar and mis-recognition may occur. Thus, in this embodiment, the criterion applied is that (D2-D1) is greater than some threshold T.

The controller 4, computes the difference (D2-D1) for each digit, compares the differences with the threshold T and rejects any digits which do not meet the criterion. It then allocates to the user a five-digit log-on number none of whose digits is one which has failed to meet the criterion. Clearly, if more acceptable digits are available than are needed, it is preferable to use those with the larger differences. This allocation can be in accordance with any convenient procedure - eg, selection of the next unused number which does not contain a rejected digit.

The threshold T can be selected on the basis of experience at a level falling between one at which digits are rarely rejected and one at which many digits are consistently rejected. With a practical selection for T it may occur, with users having particularly poor diction, that eight or even nine digits are rejected. Therefore the controller may reduce the threshold T for that particular user down to a level such that a desired minimum number of digits meet the criterion - for example, it may be decided that a five-digit log-on number should contain at least three mutually different digits.

Two modifications to this procedure will now be described. In the first, it is assumed that the controller, when operating a log-on procedure, is capable of resolving ambiguities in recognition - ie a situation where scores D1 and D2 are the same or differ by a small amount (say 5) - by offering the first choice back to the user (via the speech synthesizer 3) and asking for confirmation, and, if this is not forthcoming, offering the second choice. (Such arrangements are the object of our pending UK patent application no. 2192746A).

In order to allow in extreme cases the use of digits which are incorrectly recognised (but where the second choice is correct) during the allocation procedure, the criterion is modified as follows:

- (i) if neither the first nor second best score is incorrect, is given a zero rating;
- (ii) if the first is correct, the rating is defined as (D2-D1) + 5 (ie occupying a rating range from 5 upwards);
- (iii) if the second is correct, the rating is defined as 5-(D2-D1); a negative result is deemed to be zero (ie those cases where the difference is less than 5 occupy the rating range from 1 to 4).

The rating is then compared with the threshold value, in the same manner as previously.

In the second modification, cognisance is taken of the fact that recognition may be improved by using different templates for male and female speakers. In this case, during the allocation process, speech recognition scores are obtained using both sets of templates. The controller determines which set gives the best results (ie which set gives the largest (D1-D2) values or which set gives measures which are in general larger than the others) and carries out the remainder of the allocation process using the results from that set only.

If the first digit of the allocated number is chosen to indicate whether the user is male or female, for example by allocating 1, 2 or 3 in the former case and 4, 5 or 7 in the latter, then the recogniser can be arranged during the log-on process to use, for the first digit, male templates for 1, 2 and 3 and female templates for 4, 5 and 7. The set of templates to be used for recognition of the remaining few digits is then determined by the recognition result from the first digit.

Claims

- 15 1. An apparatus for operating a voice-operated service comprising a speech recogniser operable to compare each word of a sequence of words supplied thereto with stored templates to obtain a measure of similarity, the templates comprising a first set containing first templates corresponding to each word of a set of words, and a second set containing second templates corresponding to each word of the said set, and control means arranged in operation so to control the recogniser that:
 - 20 (a) the first word of the sequence is compared with templates of the first set of templates corresponding to certain predetermined words of the set and with templates of the second set of templates corresponding to other words of the set;
 - (b) the measures are compared to determine which word of the set the said first word most closely resembles; and
 - 25 (c) subsequent words of the sequence are compared with either the first or the second set of templates, in dependence on which word the said first word has been determined as resembling.
2. An apparatus according to Claim 1 in which the two sets of templates correspond to male and female speech respectively.
3. An apparatus according to Claim 1 or 2 in which the service is an interactive voice-operated service accessible via a telephone line.
- 35 4. An apparatus according to Claim 3 characterised in that the voice-operated service is a home banking service.
5. An apparatus according to any one of Claims 1 - 4 wherein the set of words comprise the digits 0 - 9.
- 40 6. A method of operating an automated voice-operated service on a telephone network, the method comprising determining the identity of a caller to this service through the use of a speech recogniser operable to compare each word of a sequence of words supplied thereto by the caller with stored templates to obtain a measure of similarity, the templates comprising a first set containing first templates corresponding to each word of a set of words, and a second set containing second templates corresponding to each word of the said set, and control means arranged in operation so to control the recogniser that: (a) the first word of the sequence is compared with templates of the first set of templates corresponding to certain pre-determined words of the set and with templates of the second set of templates corresponding to other words of the set; (b) the measures are compared to determine which word of the set the said first word most closely resembles; (c) subsequent words of the sequence are compared with either the first or the second set of templates, in dependence on which word the said first word has been determined as resembling; the identity of the caller being determined in accordance with the sequence of words which are recognised.
- 45 7. A method as claimed in Claim 6 in which the identity of the caller is subsequently checked by causing the caller to utter a personalised sequence of words, for example a personal identification number, the uttered words being compared by a speech recogniser with previously stored templates specific to the caller identified as the result of the determination, the caller being given access to further aspects of the service only if the results of the speaker dependent recognition check of the personalised sequence
- 50
- 55

of words are acceptable.

8. A method as claimed in Claim 6 or Claim 7 in which the two sets of templates correspond to male and female speech respectively.

5

9. A method as claimed in any one of Claims 6 - 8 wherein the service is a home banking service.

10. A method as claimed in any one of Claims 6 - 9 wherein the utterances of words uttered by the caller during the determination step are stored for use in a subsequent speaker dependent recognition process.

10

15

20

25

30


35

40

45

50

55





Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) Publication number: **0 570 082 A3**

(12)

EUROPEAN PATENT APPLICATION

(21) Application number: **93202268.4**

(51) Int. Cl. 5: **G10L 5/06**

(22) Date of filing: **26.04.89**

(30) Priority: **27.04.88 GB 8809898**

(43) Date of publication of application:
18.11.93 Bulletin 93/46

(60) Publication number of the earlier application in
accordance with Art.76 EPC: **0 411 037**

(84) Designated Contracting States:
AT BE CH DE FR GB IT LI LU NL SE

(88) Date of deferred publication of the search report:
12.01.94 Bulletin 94/02


(71) Applicant: **BRITISH TELECOMMUNICATIONS**
public limited company
81 Newgate Street
London EC1A 7AJ(GB)

(72) Inventor: **Cameron, Ian Ross**
801 Woodbridge Road
Ipswich, Suffolk IP4 4NN(GB)

(74) Representative: **Lloyd, Barry George William**
et al
BT Group Legal Services
Intellectual Property Department
13th floor,
151 Gower Street
London WC1E 6BA (GB)

(54) **Voice-operated service.**

(57) In a telephone banking service, initial log-on (before the service has identified the user) must use speaker-independent recognition (ie the speech recognizer 2 operates in accordance with word templates drawn from the population at large). The first digit of a sequence identifying the user is compared with certain templates of two sets of templates to determine which set most closely resembles the user's speech. The two sets of templates may comprise standard templates formed by male and female speakers respectively.



EP 0 570 082 A3



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number

EP 93 20 2268

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl.5)
X	ICASSP'81 (IEEE INTERNATIONAL CONFERENCE ON ACOUSTICS, SPEECH AND SIGNAL PROCESSING, Atlanta, Georgia, 30th March - 1st April 1981), vol. 1, IEEE, pages 180-183, New York, US; T.C. DILLER et al.: "Speaker-independent word recognition using sex-dependent clustering" * Abstract *	1,2,5,6	G 10 L 5/06
X	BELL LABORATORIES RECORD, vol. 50, no. 8, September 1972, pages 254-259, Murray Hill, US; R.C. LUMMIS: "Speaker verification: A step toward the "Checkless" society" * Page 254, right-hand column, lines 5-11 *	3,4,8,9	
X	ELECTRONICS, vol. 54, no. 2, 27th January 1981, pages 53,55, New York, US; P. HAMILTON: "Just a phone call will transfer funds" * Whole article *	3,4,8,9	TECHNICAL FIELDS SEARCHED (Int. Cl.5)
A	ICASSP'81 (IEEE INTERNATIONAL CONFERENCE ON ACOUSTICS, SPEECH AND SIGNAL PROCESSING, Atlanta, US, 30th March - 1st April), vol. 1, IEEE, pages 184-187, New York, US; A.E. ROSENBERG et al.: "Speaker identification and verification combined with speaker independent word recognition" * Fig. 1 *	1,5-7	G 10 L 5/06
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 29-10-1993	Examiner ARMSPACH J F A
CATEGORY OF CITED DOCUMENTS			
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention F : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

EPO FORM 150 (12/82) (P04/1)



European Patent
Office

EUROPEAN SEARCH REPORT

Page 2

Application Number

EP 93 20 2268

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. CL.5)
A	1978 WESCON TECHNICAL PAPERS, vol. 22, 1978, pages 28/3-1 - 28/3-6, Electronic Conventions, Inc., El Segundo, California, US; G.R. DODDINGTON: "Voice authentication parameters and usage" * Page 28/3-1, left-hand column, lines 37-48; page 28/3-4, left-hand column, lines 30-32 *	1,5-7, 10	
A	EUROPEAN CONFERENCE ON SPEECH TECHNOLOGY, vol. 2, September 1987, pages 460-463, Edinburgh, GB; N. FAKOTAKIS et al.: "Optimum reference construction and updating for speaker recognition systems" * Pages 461,462: "Updating of the reference data" *	10	
			TECHNICAL FIELDS SEARCHED (Int. CL.5)
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 29-10-1993	Examiner ARMSPACH J F A
CATEGORY OF CITED DOCUMENTS			
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons * : member of the same patent family, corresponding document	

EPG FORM 1501 (01/82) (P0401)

THIS PAGE BLANK (USPTO)